

Ein Produkt von

**minCam**

vision meets precision

# mc15set

With 13 or 18 mm camera head





Push-Pull version with 13 mm, push rod version with 18 mm camera head



# mc15set


With 13 or 18 mm camera head

Sewer, water & drain video pipe inspection camera, cable reel and monitor.

The mc15 is a compact and durable CCTV push camera system. The Push-Pull version is one of the smallest cameras. The 5.6 mm push cable is super-flexible, and the KK18 camera is very bright. Application range is 15 mm to 125 mm. 512 Hz sonde or 33 kHz available for special order.

<b>mc15</b>	mc15 Push-Pull-Set for pipes from 15 to 80 mm	<b>HH13</b>	camera head
	<ul style="list-style-type: none"> <li>• complete set with centre guide</li> <li>• cable reel out of stainless steel and carbon</li> <li>• camera head directly mounted with 10 cm Vario cable to 30 m Push-Pull cable</li> <li>• Control unit with function keys for Meter counter (optional sonde)</li> <li>• Continuous light regulation; battery status; video out</li> <li>• Internal power supply 100 – 240 V</li> <li>• 12 V DC Ladeeingang</li> <li>• 12 V car charger; battery &gt; 2 h</li> <li>• Dimension: about 350 x 230 x 395 mm (l x w x h); 6.9kg</li> </ul>		<ul style="list-style-type: none"> <li>• Directly mounted to Vario cable</li> <li>• High res color module</li> <li>• 480 TV-lines</li> <li>• 0.02 lux</li> <li>• view angle diagonal: 90°</li> <li>• 1 mm Sapphire glass protected lens</li> <li>• 3 bar water protected</li> <li>• Outer diameter: 13 mm</li> <li>• cylindrical length: 9 mm</li> </ul>

<b>mc15</b>	Push-Pull-Set Rod for pipes from 30 to 125 mm	<b>HH18</b>	camera head
	<ul style="list-style-type: none"> <li>• complete set with centre guide</li> <li>• cable reel out of stainless steel and carbon</li> <li>• 30 m / 5.8 mm push rod cable, changeable due to a special connector</li> <li>• Control unit with function keys for Meter counter (optional sonde)</li> <li>• Continuous light regulation; battery status; video out</li> <li>• Internal power supply 100 – 240 V</li> <li>• 12 V car charger; battery &gt; 2 h</li> <li>• Dimension: about 350 x 230 x 395 mm (l x w x h); 6.9kg</li> </ul>		<ul style="list-style-type: none"> <li>• High res color module</li> <li>• 480 TV-lines</li> <li>• 0.02 lux</li> <li>• view angle diagonal: 90°</li> <li>• 2 mm Sapphire glass protected lens</li> <li>• 5 bar water protected</li> <li>• Outer diameter: 18 mm</li> <li>• cylindrical length: 10 mm</li> </ul>

<b>mc15</b>	monitor
	<ul style="list-style-type: none"> <li>• 5.6" sunlight readable TFT-LCD monitor in a Carbon housing</li> <li>• mounted on reel with ball point joint</li> <li>• storage of videos, pictures and audio on SD-card – max. 32 GB</li> <li>• MPEG-4 video (*.avi; 800 x 600 pixel)</li> <li>• pictures (*.bmp; 640 x 480 pixel)</li> <li>• electronic insert of meter value, date text generator with external keyboard optional</li> </ul>



**minCam GmbH**  
Gruben 1 · 87561 Oberstdorf, Germany  
Telefon +49 (0)8326 384122  
info@minCam.de · [www.minCam.de](http://www.minCam.de)